

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[\[REDACTED\]](#) [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

email embedded (url OR link OR reference) (r [Advanced Search](#)
[Preferences](#)

Web Personalized Results **1 - 10** of about **1,800,000** for **email embedded (url OR link OR reference) (redirect**

Automatic download of web content in response to an embedded link ...

The message store may contain a database for storing the Web **content** associated with hyperlinks **embedded** in a given **e-mail** message. The **server** 26 is ...

www.freepatentsonline.com/20020188685.html - 36k - [Cached](#) - [Similar pages](#) - [Note this](#)

Web bug - Wikipedia, the free encyclopedia

A Web bug is an object that is **embedded** in a web page or **e-mail** and is ... The **URL** of the page containing the bug allows the **server** to determine which ...

en.wikipedia.org/wiki/Web_bug - 28k - [Cached](#) - [Similar pages](#) - [Note this](#)

Cisco Applied Intelligence Response: Understanding Cross-Site ...

The malicious code is usually in the form of a script **embedded** in the **URL** of a **link** or the code may be stored on the vulnerable **server** or malicious website. ...

www.cisco.com/warp/public/707/cisco-air-20060922-understanding-xss.shtml - 17k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Antispam for VisNetic Mail Server

The sender is presented with an **embedded link** in the message. ... VisNetic Mail **Server** has a very powerful and intuitive **email content** filtering tool. ...

www.deerfield.com/Products/VisNetic-MailServer/spam_prevention/ - 24k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Commons Email - Examples

setSubject("Test **email** with inline image"); // **embed** the image and get the **content** id **URL**
url = new **URL**("http://www.apache.org/images/asf_logo_wide.gif"); ...

commons.apache.org/email/userguide.html - 16k - [Cached](#) - [Similar pages](#) - [Note this](#)

Microsoft Security Bulletin MS03-002

Cumulative Patch for Microsoft **Content** Management **Server** (810487) ... being able to get a user to follow a **URL** that had malicious script **embedded** in it. ...

www.microsoft.com/technet/security/Bulletin/MS03-002.mspx - 24k -

[Cached](#) - [Similar pages](#) - [Note this](#)

CERT Advisory CA-2000-02 Malicious HTML Tags Embedded in Client ...

When an unsuspecting user clicks on this **link**, the **URL** sent to example.com includes the malicious code. If the web **server** sends a page back to the user ...

www.cert.org/advisories/CA-2000-02.html - 30k - [Cached](#) - [Similar pages](#) - [Note this](#)

Ixiasoft boosting XML content searching | InfoWorld | News | 2003 ...

Link with Microsoft **Content** Management **Server** offered. By Paul Krill ... designed to enable XML metadata to be **embedded** within application files, ...

www.infoworld.com/article/03/02/25/HNixiasoft_1.html - 83k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Re: The TEXT/HTML Content Type in e-mail

Your '**content**-location:' proposal makes less sense when the **URL** is relative. Also, if you want to **embed** a VRML document inside a HTML image, ...

www.imc.org/ietf-822/old-archive2/msg01869.html - 6k - [Cached](#) - [Similar pages](#) - [Note this](#)

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[My Account](#) | [Sign out](#)



embedded link reference server

Search Patents

[Advanced Patent Search](#)
[Google Patent Search](#)

Patents

Patents **1 - 10** on **embedded link reference server**. (0.04 seconds)

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Method and apparatus for redirection of server external hyper-link reference

US Pat. 5870546 - Filed Dec 23, 1997 - Infoseek Corporation

The process of claim 21 wherein said hyper-link reference is selectively ...
a correspondence with a first **server** and said **embedded** URL including a URL ...

Method and apparatus for redirection of server external hyper-link references

US Pat. 6466966 - Filed Jun 6, 2000 - Infoseek Corporation

The process of claim 38 wherein said hyper-link reference is selectively ...
a correspondence with a first **server** and said **embedded** URL including a URL ...

Apparatus and method for retrieving information using standard objects

US Pat. 5913033 - Filed Dec 20, 1996 - International Business Machines Corporation

If the file name is not in the name list, the document manager retrieves the
linked object using the full **embedded link**. With **reference** now to the figures ...

Link manager for managing links integrating data between application ...

US Pat. 5778385 - Filed Jul 10, 1997 - Kodak Limited

Finally, and as described above, the **link** manager of the present invention ...
to a linked data **reference** and identifying a corresponding **server** object ...

Method and apparatus for facilitating computer network transactions

US Pat. 6247047 - Filed Nov 18, 1997 - Control Commerce, LLC

E-mail **server** 40 is a **server** computer w which manages the communication of e-mail
messages over ... The **embedded link** is typically transparent to the user, ...

Management of and access to information and other material via the world ...

US Pat. 6209036 - Filed Jun 6, 1997 - International Business Machines Corporation

When a user selects such an **embedded link** from a Web page, ... client and resolving
the directory- **reference** URLs through **server** activity will be described ...

Method and apparatus for redirection of server external hyper-link references

US Pat. 6189030 - Filed May 1, 1998 - Infoseek Corporation

Finally, HTML does not provide a ne ' with just one URL **reference** button, such as,
... 50 enables the tracking of the selection of **embedded** hyper-link ...

Method and system for caching presentation data of a source object in a ...

US Pat. 5608909 - Filed Apr 15, 1994 - Microsoft Corporation

... implements container object 5B01 can communicate with the **server** program that
implements ... discussed with **reference** to an **embedded** object. **Link** object ...

Method and system for generating and storing multiple representations of a ...

US Pat. 5613124 - Filed Jun 7, 1995 - Microsoft Corporation

... implements container object 5B01 can communicate with the **server** program that

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[My Account](#) | [Sign out](#)

URL banner reference server embedded email

[Advanced Patent Search](#)
[Google Patent Search](#)

Patents

Patents 1 - 5 on **URL banner reference server embedded email**. (0.02 seconds)[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Method of extracting network information

US Pat. 5892908 - Filed Sep 10, 1996 - MarketScape

4 shows an **URL** (link address) 80 and its structure. The **URL** 80 starts with a
.... any previous **reference** to the corresponding **server**-side image map. ...

Virtual document organizer system and method

US Pat. 6868426 - Filed Jul 7, 2000

The user/consumer 19 would preferably use an existing **email** address or be ...
20 by responding to an **email** solicitation or clicking on a **banner** ad or other ...

Guided natural language interface system and method

US Pat. 7027975 - Filed Aug 8, 2000 - Object Services and Consulting, Inc.

For example, the following: <ODBC **url**, properties>—provides a basic descriptor
... <MSWord **url**, properties>—can be used to designate a default grammar and ...

Dynamically assigning a survey to a respondent

US Pat. 6993495 - Filed Feb 8, 2001 - Insightexpress, L.L.C.

For example, survey assigning **server** 716 may present an initial question to ...
an online ad **banner** 704, or by selecting an **embedded URL** within an **email** ...

Modality advertisement viewing system and method

US Pat. 6636247 - Filed Jan 31, 2000 - International Business Machines Corporation

Some companies offer free **email** or even Internet access in exchange for viewing
... It would be easy for viewers to ignore **banner** or scrolling ticker tape ...

URL banner reference server embedded email

[Google Patent Search Help](#) | [Advanced Patent Search](#)[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[My Account](#) | [Sign out](#)



embedded link redirect

Search Patents

[Advanced Patent Search](#)
[Google Patent Search](#)

Patents

Patents 21 - 30 on **embedded link redirect**. (0.03 seconds)

« [View all web results for **embedded link redirect**](#)

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Collaborative internet data mining system

US Pat. 6081788 - Filed Nov 4, 1998 - About.Com, Inc.

At that time, **embedded** Java script code may be executed to query the ... The URL re-direct may pass an argument on the URL **redirect** command (528) that ...

Secure, convenient and efficient system and method of performing trans ...

US Pat. 5963915 - Filed Feb 21, 1996 - Infoseek Corporation

The term "**redirect**" in the **embedded** redirection URL is a key word that is detected by the server system 16 to specify that the URL issued to the server 16 ...

Financial transaction systems and methods utilizing a multi-reader ...

US Pat. 5444616 - Filed Jun 16, 1994 - MicroBilt Corporation

a second communications **link** connecting said multi- reader terminal to said electronic cash ... **Redirect** all incoming data received on an incoming serial ...

Method and system for providing native language query service

US Pat. 7058626 - Filed Jul 28, 2000 - International Business Machines Corporation

and a segment of script are **embedded**. The script will be executed ... for dispatching query requests containing URL prefixed by **redirect** prefix to web page ...

Apparatus and method for facilitating access to network resources

US Pat. 7216154 - Filed Nov 28, 2000 - Intel Corporation

FIG' 6 illustrates an exemplary table 600 for tracking **embedded** tags linking ... table ig shared reference is an **embedded link** 302 to a resource located on ...

Fault tolerant computing node having multiple host channel adapters

US Pat. 6904545 - Filed Jul 11, 2001 - Advanced Micro Devices, Inc.

The **embedded** processor 180 generates **link** flow control packets using the :o ... having a prescribed presence on the InfiniBand™ network, to **redirect** the ...

System and method for training and managing Internet guides

US Pat. 6157926 - Filed Nov 4, 1998 - About.com, Inc.

At that time, **embedded** Java script code may be executed to query the ... The URL re-direct may pass an argument on the URL **redirect** command (528) that ...

System and method for modification of included files used in a automatic web ...

US Pat. 6226648 - Filed Nov 4, 1998 - About.com, Inc.

At that time, **embedded** Java script executable program located at the ... If the may **redirect** the URL request into the collaborative web frames object is ...

Conductor gateway prioritization parameters

US Pat. 7120662 - Filed Apr 16, 2001 - Circadence Corporation

Back-end 203 also examines each **embedded link** within response 814 and modifies

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[My Account](#) | [Sign out](#)



embedded URL link email

Search Patents

[Advanced Patent Search](#)
[Google Patent Search](#)

Patents

Patents **11 - 20** on **embedded URL link email**. (0.02 seconds)

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Method and apparatus for creating and sending structured voicemail messages

US Pat. 6393107 - Filed May 25, 1999 - Lucent Technologies Inc.

Specifically, the content of the **LINK** element (extracted from between the ... from the BEST attribute of the element, which is recognized as a SIP **URL**. ...

Self-adjusting consumable order-assistance system and method

US Pat. 7043523 - Filed Dec 13, 2000 - Hewlett-Packard Development Company, L.P.

For example, such regular intervals might comprise receiving an **email** weekly, ... For example, an electronic **URL link** can be provided to the purchaser, ...

Computer network based testing system

US Pat. 6112049 - Filed Oct 21, 1997 - The Riverside Publishing Company

This page allows the test designer to create, maintain and send **email** to ... Skeleton files are HTML files that contain key tag words **embedded** in the text. ...

Automatic web site registration with multiple search engines

US Pat. 5905862 - Filed Sep 4, 1996 - Intel Corporation

There are currently **link** and its associated **URL**. ... One of the problems that has go formatted **email** message to the search engine at its **email** arisen ...

Use of server access logs to generate scripts and scenarios for exercising ...

US Pat. 6549944 - Filed Jul 6, 2000 - Mercury Interactive Corporation

One variation of this feature involves automatically sending an **email** ... In this example, the missing **URL** is a GIF file which is **embedded** within eight ...

Document management system for recording and viewing the history of document use

US Pat. 6493731 - Filed Jan 27, 1999 - Xerox Corporation

... a person's contact information (eg, 35 phone number, video **link**, **email**, etc. ... It is well known that a **URL** has three elements: a protocol element (eg, ...

Web-based platform for interactive voice response (IVR)

US Pat. 6587822 - Filed Oct 6, 1998 - Lucent Technologies Inc.

If more than one **URL** and/or command are retrieved from the table a ... would then **link** to appropriate pages to cause access to voice messages or **email**. ...

Method and system for wireless voice channel/data channel integration

US Pat. 7092370 - Filed Aug 16, 2001 - Roamware, Inc.

During a voice call, a wireless data message (eg, SMS or **email**) is sent to the ... The **embedded URL**, and thus the data session, is set up based on the ...

Origination/destination features and lists for spam prevention

US Pat. 7272853 - Filed Jun 4, 2003 - Microsoft Corporation

This **URL** could be **embedded** in an image to make it more difficult for ...